AUTHOR INDEX

Volume 78 • 1998

Abbracchio, M.P. and Burnstock, G.
Purinergic signalling: pathophysiological roles 113
Akagi, K., Hasebe, K., Watanabe, K., Nagao, T. and Urushidani, T.
Na^+ replacement on acid secretion 147
Akaike, A. *See* Kinoshita, M.
Akuzawa, S., Ito, H. and Yamaguchi, Tokio
[^{3}H]Ramosetron and [^{3}H]granisetron 381
Aniya, Y., Yokomakura, T., Yonamine, M., Nagamine, T. and Nakanishi, Hisaharu
Hepatoprotective action of mold 79
Arai, H. *See* Inoie, M.
Arai, I., Shimazoe, T., Yoshimatsu, A., Inoie, H., Shibata, S. and Watanabe, S.
Sensitization and ischemia 105
Arisawa, H. *See* Iga, Y.
Aritake, K. *See* Matsushita, N.
Asada, T., Ogawa, T., Iwai, M. and Kobayashi, M.
GLUT expression in diabetic rat 63
Ayajiki, K., Okamura, T., Fujioka, H., Nakayama, Koichi, Tsuji, K. and Toda, N.
Nicotinic receptor and neosurugatoxin 217
Azuma, Y., Kawasaki, Takashi, Ikemoto, K., Obata, K., Ohno, K., Sajiki, N., Yamada, T., Yamasaki, M. and Nobuhara, Y.
NTE-122, a novel ACAT inhibitor 355

Bartolini, A. *See* Ghelardini, C.
Beleslin, D. *See* Vučković, S.
Burnstock, G. *See* Abbracchio, M.P.

Chen, C.-F. *See* Hsieh, M.-T.
Cheng, C.H.K. *See* Rudd, J.A.
Chiba, S. *See* Kasama, M.
Chueh, F.-S. *See* Hsieh, M.-T.
Chueh, F.-Y. *See* Hsieh, M.-T.

Daito, M. *See* Wang, P.-L.
Ding, Y. *See* Wei, E.-Q.
Do, E. *See* Wei, E.-Q.

Egashira, T. *See* Wada, Y.
Ekblom, J. *See* Yassin, M.S.
Endo, M. *See* Wang, P.-L.

Fan, X.-T. *See* Taniguchi, Takao
Fujimoto, J.M. *See* Rady, J.J.
Fujioka, H. *See* Ayajiki, K.
Fujita, H., Yoshiyama, M., Takeuchi, K., Omura, T., Yamagishi, H., Iwao, H., Miura, K. and Yoshikawa, J.
The effect of vasopressin antagonists on hemodynamics 229
Fujitani, B. *See* Ikeno, A.
Fukunaga, Y., Inoue, N., Miyamoto, M., Kishioka, S. and Yamamoto, H.
Enkephalins and morphine withdrawal 455
Fukuta, M. *See* Kobayashi, S.
Furukawa, S. *See* Ghelardini, C.
Furukawa, Y. *See* Kasama, M.

Galeotti, N. *See* Ghelardini, C.
Ganado, P. *See* Sanz, M.
Ganguly, D.K. *See* Maity, S.
Ghelardini, C., Galeotti, N., Bartolini, A., Furukawa, S., Nitta, A., Manetti, D. and Gualtieri, F.
PG-9: memory facilitation and NGF stimulation 245
Gomi, Y. *See* Tsunobuchi-Ushijima, H.
Gorny, J.M. *See* Raddy, J.J.
Goto, K. *See* Suzuki, Yasuyuki
Gualtieri, F. *See* Ghelardini, C.

Hanatani, A., Yoshiyama, M., Takeuchi, K., Kim, S., Nakayama, Koji, Omura, T., Iwao, H. and Yoshikawa, J.
Cardiac function and gene expression 45
Hara, K. *See* Okamoto, T.
Harada, K., Kawahara, J., Okada, Y., Uzumaki, H., Kusaka, M. and Tokiwa, T.
Endothelin and K^+ channel opener 261
Hasebe, K. *See* Akagi, K.
Hata, F. *See* Nishiwaki, H.
—— *See* Takeuchi, T.
Hayashi, H. *See* Sanae, F.
Hayashi, K. *See* Matsushita, N.
Hayashi, M. *See* Matsushita, N.
Hino, O. *See* Okamoto, T.
Hirayama, F. *See* Sato, K.
Hirotsu, I. *See* Matsushita, N.
Hizue, M. *See* Matsushita, N.
Hori, Y. *See* Yamazaki, C.
Horie, K. *See* Yamazaki, C.
Hoshino, J. *See* Yamazaki, C.
Hosoki, K. *See* Ikeno, A.
Hoyano, Y. *See* Kasama, M.
Hsieh, M.-T., Chueh, F.-Y., Lin, S.-M., Chueh, F.-S., Chen, C.-F. and Lin, M.-T.
Magnolol-induced hypothermia 501

Iga, Y., Arisawa, H., Ogane, N., Saito, Y., Tomizuka, T., Nakagawa-Yagi, Y., Masunaga, H., Yasuda, H. and Miyata, N.
SNI-2011 induces saliva and tear secretions 373
Izumi, Y. *See* Sato, K.
Ikemoto, K. *See* Azuma, Y.
Ikeno, A., Sumiya, T., Minato, H., Fujitani, B., Masuda, Y., Hosoki, K., Kurono, M. and Yasuba, M.
Lipid-lowering mechanism of monatepil 303
Ikoma, K. *See* Tsunobuchi-Ushijima, H.
Inoie, M., Marubuchi, S. and Arai, H.
Gastric H_2-antagonism of T-593 313
Inoue, H. *See* Arai, I.
Inoue, K.
ATP-protection of hippocampal function 405
Inoue, N. *See* Fukunaga, Y.
Irie, Y. *See* Wei, E.-Q.
Ishige, A. *See* Suzuki, Yasuyuki
Ishiguro, I. *See* Nishida, K.
Ishihara, M. *See* Suzuki, Yoshinori
Ishii, T. *See* Takeuchi, T.
Ishii, T., Kibushi, N., Nakajima, T., Kakuta, T., Tanaka, N., Sato, C., Sugai, K., Kijima-Suda, I., Kai, H. and Miyata, T.
NM-135, a new prodrug glucocorticoid 505
Islam, M.A., Nojima, H. and Kimura, I.
Cholinergic and β-adrenergic interaction 181

AUTHOR INDEX

Volume 78 • 1998

Abbracchio, M.P. and Burnstock, G.
Purinergic signalling: pathophysiological roles 113
Akagi, K., Hasebe, K., Watanabe, K., Nagao, T. and Urushidani, T.
Na^+ replacement on acid secretion 147
Akaike, A. *See* Kinoshita, M.
Akuzawa, S., Ito, H. and Yamaguchi, Tokio
[^{3}H]Ramosetron and [^{3}H]granisetron 381
Aniya, Y., Yokomakura, T., Yonamine, M., Nagamine, T. and Nakanishi, Hisaharu
Hepatoprotective action of mold 79
Arai, H. *See* Inoie, M.
Arai, I., Shimazoe, T., Yoshimatsu, A., Inoie, H., Shibata, S. and Watanabe, S.
Sensitization and ischemia 105
Arisawa, H. *See* Iga, Y.
Aritake, K. *See* Matsushita, N.
Asada, T., Ogawa, T., Iwai, M. and Kobayashi, M.
GLUT expression in diabetic rat 63
Ayajiki, K., Okamura, T., Fujioka, H., Nakayama, Koichi, Tsuji, K. and Toda, N.
Nicotinic receptor and neosurugatoxin 217
Azuma, Y., Kawasaki, Takashi, Ikemoto, K., Obata, K., Ohno, K., Sajiki, N., Yamada, T., Yamasaki, M. and Nobuhara, Y.
NTE-122, a novel ACAT inhibitor 355

Bartolini, A. *See* Ghelardini, C.
Beleslin, D. *See* Vučković, S.
Burnstock, G. *See* Abbracchio, M.P.

Chen, C.-F. *See* Hsieh, M.-T.
Cheng, C.H.K. *See* Rudd, J.A.
Chiba, S. *See* Kasama, M.
Chueh, F.-S. *See* Hsieh, M.-T.
Chueh, F.-Y. *See* Hsieh, M.-T.

Daito, M. *See* Wang, P.-L.
Ding, Y. *See* Wei, E.-Q.
Do, E. *See* Wei, E.-Q.

Egashira, T. *See* Wada, Y.
Ekblom, J. *See* Yassin, M.S.
Endo, M. *See* Wang, P.-L.

Fan, X.-T. *See* Taniguchi, Takao
Fujimoto, J.M. *See* Rady, J.J.
Fujioka, H. *See* Ayajiki, K.
Fujita, H., Yoshiyama, M., Takeuchi, K., Omura, T., Yamagishi, H., Iwao, H., Miura, K. and Yoshikawa, J.
The effect of vasopressin antagonists on hemodynamics 229
Fujitani, B. *See* Ikeno, A.
Fukunaga, Y., Inoue, N., Miyamoto, M., Kishioka, S. and Yamamoto, H.
Enkephalins and morphine withdrawal 455
Fukuta, M. *See* Kobayashi, S.
Furukawa, S. *See* Ghelardini, C.
Furukawa, Y. *See* Kasama, M.

Galeotti, N. *See* Ghelardini, C.
Ganado, P. *See* Sanz, M.
Ganguly, D.K. *See* Maity, S.
Ghelardini, C., Galeotti, N., Bartolini, A., Furukawa, S., Nitta, A., Manetti, D. and Gualtieri, F.
PG-9: memory facilitation and NGF stimulation 245
Gomi, Y. *See* Tsunobuchi-Ushijima, H.
Gorny, J.M. *See* Raddy, J.J.
Goto, K. *See* Suzuki, Yasuyuki
Gualtieri, F. *See* Ghelardini, C.

Hanatani, A., Yoshiyama, M., Takeuchi, K., Kim, S., Nakayama, Koji, Omura, T., Iwao, H. and Yoshikawa, J.
Cardiac function and gene expression 45
Hara, K. *See* Okamoto, T.
Harada, K., Kawahara, J., Okada, Y., Uzumaki, H., Kusaka, M. and Tokiwa, T.
Endothelin and K^+ channel opener 261
Hasebe, K. *See* Akagi, K.
Hata, F. *See* Nishiwaki, H.
—— *See* Takeuchi, T.
Hayashi, H. *See* Sanae, F.
Hayashi, K. *See* Matsushita, N.
Hayashi, M. *See* Matsushita, N.
Hino, O. *See* Okamoto, T.
Hirayama, F. *See* Sato, K.
Hirotsu, I. *See* Matsushita, N.
Hizue, M. *See* Matsushita, N.
Hori, Y. *See* Yamazaki, C.
Horie, K. *See* Yamazaki, C.
Hoshino, J. *See* Yamazaki, C.
Hosoki, K. *See* Ikeno, A.
Hoyano, Y. *See* Kasama, M.
Hsieh, M.-T., Chueh, F.-Y., Lin, S.-M., Chueh, F.-S., Chen, C.-F. and Lin, M.-T.
Magnolol-induced hypothermia 501

Iga, Y., Arisawa, H., Ogane, N., Saito, Y., Tomizuka, T., Nakagawa-Yagi, Y., Masunaga, H., Yasuda, H. and Miyata, N.
SNI-2011 induces saliva and tear secretions 373
Izumi, Y. *See* Sato, K.
Ikemoto, K. *See* Azuma, Y.
Ikeno, A., Sumiya, T., Minato, H., Fujitani, B., Masuda, Y., Hosoki, K., Kurono, M. and Yasuba, M.
Lipid-lowering mechanism of monatepil 303
Ikoma, K. *See* Tsunobuchi-Ushijima, H.
Inoie, M., Marubuchi, S. and Arai, H.
Gastric H_2-antagonism of T-593 313
Inoue, H. *See* Arai, I.
Inoue, K.
ATP-protection of hippocampal function 405
Inoue, N. *See* Fukunaga, Y.
Irie, Y. *See* Wei, E.-Q.
Ishige, A. *See* Suzuki, Yasuyuki
Ishiguro, I. *See* Nishida, K.
Ishihara, M. *See* Suzuki, Yoshinori
Ishii, T. *See* Takeuchi, T.
Ishii, T., Kibushi, N., Nakajima, T., Kakuta, T., Tanaka, N., Sato, C., Sugai, K., Kijima-Suda, I., Kai, H. and Miyata, T.
NM-135, a new prodrug glucocorticoid 505
Islam, M.A., Nojima, H. and Kimura, I.
Cholinergic and β-adrenergic interaction 181

Itakura, Y. *See* Sumioka, I.
Ito, H. *See* Akuzawa, S.
Ito, M. *See* Suzuki, Yoshinori
Ito, S. *See* Otsuguro, K.
Ivanović, M. *See* Vučković, S.
Iwai, M. *See* Asada, T.
Iwao, H. *See* Fujita, H.
—— *See* Hanatani, A.
Iwasaki, H. *See* Okuyama, K.

Kai, H. *See* Ishii, T.
Kakimura, J. *See* Kitamura, Y.
Kakuta, T. *See* Ishii, T.
Kamei, J. *See* Suzuki, Yasuyuki
Kaneko, S. *See* Kinoshita, M.
Kasahara, N. *See* Nanri, M.
Kasama, M., Furukawa, Y., Oguchi, T., Hoyano, Y. and Chiba, S.
Ion channel blockers in hypothermia 493
Kasuga, S. *See* Sumioka, I.
Kawahara, J. *See* Harada, K.
Kawasaki, Takashi *See* Azuma, Y.
Kawasaki, Tomihisa *See* Sato, K.
Kibushi, N. *See* Ishii, T.
Kijima-Suda, I. *See* Ishii, T.
Kikuchi, S. *See* Umemura, K.
Kim, S. *See* Hanatani, A.
Kimura, I. *See* Islam, M.A.
—— *See* Kobayashi, S.
Kimura, J. *See* Ono, T.
Kimura, Y. *See* Matsushita, N.
Kinoshita, M., Kaneko, S., Yasuno, T., Yada, N., Akaike, A. and Satoh, M.
Effect of bifemelane on Ca^{2+} channels 39
Kishioka, S. *See* Fukunaga, Y.
Kitagawa, K. *See* Yamaguchi, Tomomi
Kitamura, K. *See* Taniguchi, Takao
Kitamura, Y., Kakimura, J. and Taniguchi, Takashi
Parkinsonian worm model and talipexole 23
Kiuchi, S. *See* Okuyama, K.
Kobayashi, M. *See* Asada, T.
Kobayashi, S., Fukuta, M., Kontani, H., Yanagita, S. and Kimura, I.
Choroidal angiogenesis assay in vitro 471
Komatsu, Y. *See* Suzuki, Yasuyuki
Kontani, H. *See* Kobayashi, S.
Kosaka, N. *See* Uchii, M.
Koshio, H. *See* Sato, K.
Kudo, Y. *See* Okuyama, K.
Kuo, C.-H. *See* Wei, E.-Q.
Kuraishi, Y. *See* Yamaguchi, Tomomi
Kurimoto, T. *See* Mitsuzumi, H.
Kurono, M. *See* Ikeno, A.
Kusaka, M. *See* Harada, K.
Kusamiya, M. *See* Mitsuzumi, H.

Lin, M.-T. *See* Hsieh, M.-T.
Lin, S.-M. *See* Hsieh, M.-T.
Löfberg, C. *See* Yassin, M.S.

Maeda, O. *See* Okamoto, T.
Maity, S., Vedasiromoni, J.R. and Ganguly, D.K.
Antiulcer mechanism of black tea 285
Manetti, D. *See* Ghelardini, C.
Marubuchi, S. *See* Inoie, M.
Masaki, M. *See* Wakitani, K.
Masuda, Y. *See* Ikeno, A.
Masunaga, H. *See* Iga, Y.
Matsumiya, T. *See* Wada, Y.
Matsumoto, K. *See* Nanri, M.
Matsumoto, Y. *See* Sato, K.
Matsuoka, I. *See* Ono, T.
Matsura, T. *See* Sumioka, I.
Matsuse, T. *See* Teramoto, S.
Matsushita, M. *See* Wakitani, K.
Matsushita, N., Aritake, K., Takada, A., Hizue, M., Hayashi, K., Mitsui, K., Hayashi, M., Hirotsu, I., Kimura, Y., Tani, T. and Nakajima, H.
Effects of HQL-79 on chemical mediators 11
Matsushita, N., Hizue, M., Aritake, K., Hayashi, K., Takada, A., Mitsui, K., Hayashi, M., Hirotsu, I., Kimura, Y., Tani, T. and Nakajima, H.
HQL-79, a new antiallergic drug 1
Mićović, I. *See* Vučković, S.
Miki, N. *See* Wei, E.-Q.
Minato, H. *See* Ikeno, A.
Mitsui, K. *See* Matsushita, N.
Mitsuzumi, H., Kusamiya, M., Kurimoto, T. and Yamamoto, I.
Augmentation of antibody response by AsA 169
Miura, K. *See* Fujita, H.
Miyake, H. *See* Nanri, M.
Miyamoto, M. *See* Fukunaga, Y.
Miyata, N. *See* Iga, Y.
Miyata, T. *See* Ishii, T.
Miyauchi, S. *See* Yamazaki, C.
Mizuno, S. *See* Yamazaki, C.
Murakami, Y. *See* Nanri, M.
Murakawa, N. *See* Wang, P.-L.
Muramatsu, I., Taniguchi, Takanobu and Okada, K.
Tamsulosin on α_1-adrenoceptor subtypes 331
Murata, T. *See* Takagi, T.

Nagamine, T. *See* Aniya, Y.
Nagao, T. *See* Akagi, K.
Nakagawa-Yagi, Y. *See* Iga, Y.
Nakajima, H. *See* Matsushita, N.
Nakajima, T. *See* Ishii, T.
Nakanishi, Hironori *See* Ono, T.
Nakanishi, Hisaharu *See* Aniya, Y.
Nakano, Y. *See* Okamoto, T.
Nakashima, M. *See* Umemura, K.
Nakayama, Koichi *See* Ayajiki, K.
Nakayama, Koji *See* Hanatani, A.
Nakazato, Y. *See* Otsuguro, K.
Nanayama, T. *See* Wakitani, K.
Nanri, M., Kasahara, N., Yamamoto, J., Miyake, H. and Watanabe, H.
A comparative study of nicotine and GTS-21 385
Nanri, M., Miyake, H., Murakami, Y., Matsumoto, K. and Watanabe, H.
GTS-21 and cerebral hypoperfusion in rats 463
Naraba, H. *See* Ueno, A.
Narita, H. *See* Okuyama, K.
Naylor, R.J. *See* Rudd, J.A.
Niioka, S. *See* Takeuchi, T.
Nishida, K., Ohta, Y. and Ishiguro, I.
Teprenone and gastric mucosal NO 519
Nishio, H. *See* Nishiwaki, H.
—— *See* Takeuchi, T.
Nishiwaki, H., Saitoh, Noriko, Nishio, H., Takeuchi, T. and Hata, F.
Effect of endomorphin on ACh release 83
Nitta, A. *See* Ghelardini, C
Niu, S.-Y. *See* Wei, E.-Q.

Nobuhara, Y. *See* Azuma, Y.
Nojima, H. *See* Islam, M.A.
Nomura, Y. *See* Okuma, Y.

Obata, K. *See* Azuma, Y.
Ogane, N. *See* Iga, Y.
Ogawa, T. *See* Asada, T.
Oguchi, T. *See* Kasama, M.
Oh-ishi, S. *See* Ueno, A.
Ohkubo, S. *See* Ono, T.
Ohno, K. *See* Azuma, Y.
Ohta, T. *See* Otsuguro, K.
Ohta, Y. *See* Nishida, K.
Ohura, K. *See* Wang, P.-L.
Oka, T. *See* Taniguchi, Takao
Okada, K. *See* Muramatsu, I.
Okada, Y. *See* Harada, K.
Okamoto, M. *See* Okuyama, K.
Okamoto, T., Maeda, O., Tsuzuike, N. and Hara, K.
Con A-induced liver cytokine mRNA 101
Okamoto, T., Nakano, Y., Tsuzuike, N. and Hara, K.
Concanavalin A and CD8 mRNA 97
Okamoto, T., Yamakawa, T., Yamamura, K. and Hino, O.
Fas ligand mRNA expression 233
Okamura, M. *See* Wang, P.-L.
Okamura, T. *See* Ayajiki, K.
Okishio, Y. *See* Takeuchi, T.
Okuma, Y. *See* Yokotani, K.
Okuma, Y. and Nomura, Y.
SAM as a murine model of senile dementia 399
Okuyama, K., Kiuchi, S., Okamoto, M., Iwasaki, H., Narita, H. and Kudo, Y.
Microsphere-induced brain edema in rats 31
Omura, T.
Omura, T. *See* Fujita, H.
—— *See* Hanatani, A.
Ono, T., Matsuoka, I., Ohkubo, S., Kimura, J. and Nakanishi, Hironori
Adenosine A_{2A} receptor and NA release 269
Oreland, L. *See* Yassin, M.S.
Osumi, Y. *See* Yokotani, K.
Otsuguro, K., Ohta, T., Ito, S. and Nakazato, Y.
P_2 receptors in rat stomach 209
Ouchi, Y. *See* Teramoto, S.

Peungvicha, P., Thirawarapan, S.S. and Watanabe, H.
Hypoglycemic effect of *Pandanus odorus* 395
Prostran, M. *See* Vučković, S.

Quest, D.W. and Wilson, T.W.
Ridogrel in hypertensive rats 479

Rady, J.J., Gorny, J.M. and Fujimoto, J.M.
Heroin antinociception: brain μ changed to δ 443
Ristović, Z. *See* Vučković, S.
Rudd, J.A., Cheng, C.H.K. and Naylor, R.J.
5-HT and cisplatin-induced emesis model 253
Ruiz, E. *See* Sanz, M.

Saito, Naoaki *See* Shirai, Y.
Saito, Y. *See* Iga, Y.
Saitoh, Noriko *See* Nishiwaki, H.
Sajiki, N. *See* Azuma, Y.
Sakai, N. *See* Shirai, Y.
Sakata, S. *See* Wang, P.-L.
Sanae, F. and Hayashi, H.
Theophylline and peripheral vasodilation 345
Sanz, M., Ruiz, E., Ganado, P. and Tejerina, T.
Calcium dobesilate and BB/wor rats 391
Sato, C. *See* Ishii, T.
Sato, K., Taniuchi, Y., Kawasaki, Tomihisa, Hirayama, F., Koshio, H., Matsumoto, Y. and Iizumi, Y.
Comparison of YM-75466 and warfarin 191
Satoh, M. *See* Kinoshita, M.
Segami, T. *See* Suzuki, Yoshinori
Sekiguchi, T. *See* Yamazaki, C.
Shibata, S. *See* Arai, I.
Shimazoe, T. *See* Arai, I.
Shinohara, M. *See* Wang, P.-L.
Shirai, Y., Sakai, N. and Saito, Naoaki
Subspecies-specific targeting mechanism of PKC 411
Shirasu, S. *See* Wang, P.-L.
Sugai, K. *See* Ishii, T.
Sugiyama, T. *See* Uchii, M.
Sumioka, I., Matsura, T., Kasuga, S., Itakura, Y. and Yamada, K.
SAMC prevents APAP-induced liver injury 199
Sumiya, T. *See* Ikeno, A.
Suzuki, M. *See* Teramoto, S.
Suzuki, T. *See* Takagi, T.
Suzuki, Yasuhiro *See* Umemura, K.
Suzuki, Yasuyuki, Goto, K., Ishige, A., Komatsu, Y. and Kamei, J.
Anti-aggregatory effect of *Gosha-jinki-gan* 87
Suzuki, Yoshinori, Ishihara, M., Segami, T. and Ito, M.
Anti-ulcer effects of antioxidants 435

Takada, A. *See* Matsushita, N.
Takada, K. *See* Wada, Y.
Takagi, J. and Yonehara, N.
Serotonin receptor and acupuncture 511
Takagi, T., Tsao, P.W., Totsuka, R., Suzuki, T., Murata, T. and Takata, I.
Effect of DEX on BMD in CIA model 225
Takashima, M. *See* Uchii, M.
Takata, I. *See* Takagi, T.
Takatsuji, K. *See* Takeuchi, T.
Takayama, F. *See* Wada, Y.
Takeda, H. *See* Wada, Y.
Takeuchi, K. *See* Fujita, H.
—— *See* Hanatani, A.
Takeuchi, T., Niioka, S., Yamaji, M., Okishio, Y., Ishii, T., Nishio, H., Takatsuji, K. and Hata, F.
Decrease in participation of NO with age 293
Takeuchi, T. *See* Nishiwaki, H.
Tanaka, N. *See* Ishii, T.
Tani, T. *See* Matsushita, N.
Taniguchi, Takanobu *See* Muramatsu, I.
Taniguchi, Takao, Fan, X.-T., Kitamura, K. and Oka, T.
Enkephalin-induced anti-nociception 487
Taniguchi, Takashi *See* Kitamura, Y.
Taniuchi, Y. *See* Sato, K.
Tejerina, T. *See* Sanz, M.
Teramoto, S., Suzuki, M., Matsuse, T. and Ouchi, Y.
Ambroxol and oxygen radicals in the aged 429
Thirawarapan, S.S. *See* Peungvicha, P.
Toda, N. *See* Ayajiki, K.
Todorović, Z. *See* Vučković, S.
Tohda, M. and Watanabe, H.
5-HT2CR expression by antidepressants 515
Tokiwa, T. *See* Harada, K.
Tomizuka, T. *See* Iga, Y.
Totsuka, R. *See* Takagi, T.
Tsao, P.W. *See* Takagi, T.

Tsuji, K. *See* Ayajiki, K.
Tsunobuchi-Ushijima, H., Ikoma, K. and Gomi, Y.
NE and K^+ effects in Mn^{2+}-loaded cells 323
Tsuzuike, N. *See* Okamoto, T.

Uchii, M., Takashima, M., Sugiyama, T. and Kosaka, N.
Effect of KW-8232 on immobilized bone loss 241
Ueno, A., Naraba, H. and Oh-ishi, S.
Mouse paw edema by B2 bradykinin agonist 109
Umemura, K., Kikuchi, S., Suzuki, Yasuhiro and Nakashima, M.
Collagen production in the heart 161
Urushidani, T. *See* Akagi, K.
Uzumaki, H. *See* Harada, K.

Vedasiromoni, J.R. *See* Maity, S.
Vučković, S., Ivanović, M., Prostran, M., Todorović, Z.,
Ristović, Z., Mićović, I. and Beleslin, D.
Fentanyl and temperature 523

Wada, Y., Egashira, T., Takayama, F., Yamanaka, Y., Takada, K.,
Takeda, H. and Matsumiya, T.
Monoamine content rhythm in rat CSF 237
Wakitani, K., Nanayama, T., Masaki, M. and Matsushita, M.
Inhibition of human COX-2 by JTE-522 365
Wang, P.-L., Shirasu, S., Shinohara, M., Murakawa, N.,
Endo, M., Sakata, S., Okamura, M., Daito, M. and Ohura, K.
Salivary amylase activity in rat Ca diet 279
Watanabe, H. *See* Nanri, M.
—— *See* Peungvicha, P.
—— *See* Tohda, M.
Watanabe, K. *See* Akagi, K.
Watanabe, S. *See* Arai, I.
Wei, E.-Q., Irie, Y., Kuo, C.-H., Ding, Y., Niu, S.-Y., Do, E.
and Miki, N.
Purα in rat airway inflammation 419
Wilson, T.W. *See* Quest, D.W.

Yada, N. *See* Kinoshita, M.
Yamada, K. *See* Sumioka, I.
Yamada, T. *See* Azuma, Y.
Yamagishi, H. *See* Fujita, H.
Yamaguchi, Tokio *See* Akuzawa, S.
Yamaguchi, Tomomi, Kitagawa, K. and Kuraishi, Y.
Endomorphins, itch and analgesia 337
Yamaji, M. *See* Takeuchi, T.
Yamakawa, T. *See* Okamoto, T.
Yamamoto, H. *See* Fukunaga, Y.
Yamamoto, I. *See* Mitsuzumi, H.
Yamamoto, J. *See* Nanri, M.
Yamamura, K. *See* Okamoto, T.
Yamanaka, Y. *See* Wada, Y.
Yamasaki, M. *See* Azuma, Y.
Yamazaki, C., Hoshino, J., Sekiguchi, T., Hori, Y., Miyauchi, S.,
Mizuno, S. and Horie, K.
Production of O_2^- and NO by AM 69
Yanagita, S. *See* Kobayashi, S.
Yassin, M.S., Ekblom, J., Löfberg, C. and Oreland, L.
Clioquinol and transmethylation 55
Yasuba, M. *See* Ikeno, A.
Yasuda, H. *See* Iga, Y.
Yasuno, T. *See* Kinoshita, M.
Yokomakura, T. *See* Aniya, Y.
Yokotani, K., Okuma, Y. and Osumi, Y.
Ca^{2+} channel and gastric NA release 75
Yokotani, K. and Osumi, Y.
μ-Receptor and gastric ACh release 93
Yonamine, M. *See* Aniya, Y.
Yonehara, N. *See* Takagi, J.
Yoshikawa, J. *See* Fujita, H.
—— *See* Hanatani, A.
Yoshimatsu, A. *See* Arai, I.
Yoshiyama, M. *See* Fujita, H.
—— *See* Hanatani, A.

SUBJECT INDEX

Volume 78 • 1998

Acetaminophen 79, 199
Acetylcholine release 83, 93
Action potential 181
Acyl-CoA:cholesterol acyltransferase (ACAT) inhibitor 355
Adenosine A_{2A} receptor 269
S-Adenosylmethionine 55
β-Adrenergic-muscarinic interaction 181
α_1-Adrenoceptor 331
Aging 293, 399, 429
Alkaline metal 147
S-Allylmercaptocysteine 199
Allergic airway inflammation 1, 419
Amastatin 487
Ambroxol 429
Aminopyrine accumulation 147, 313
Amylase 279
Analgesia 337
Angiogenesis 471
Angiotensin II type 1-receptor antagonist 45
Animal model 399
Antiallergic drug 1
Antidepressant 515
Antigen-specific antibody response 169
Antihistamine 11
Anti-nociception 487
Antioxidant 79, 435
Aorta 391
Arthritis (collagen-induced) 225
Atrium (right) 181
Ascorbic acid 169
Ascorbic acid 2-glucoside 169
ATP 209, 405
Autoinhibition 83

Behavior 523
Bifemelane 39
Blood pressure 479
Bone loss 241
Bone mineral density 25
Bradykinin B2-receptor agonist 109
Brain edema 31

Ca content 31
Calcium dobesilate 391
Camellia sinensis 285
Captopril 487
Cardiac collagen 161
Catecholamine 501
Cation sensitization 323
Caudal periaqueductal gray 455
CD8 97
Cerebral ischemia 463
Cerebrospinal fluid 237
Chemiluminescence 429
p-Chlorophenylalanine 253
Cholesterol absorption 303
Cholesterol catabolism 303
Cholesterol-lowering effect 355
Cholinergic system 245
Choroidal angiogenesis 471
Cisplatin 253
Clioquinol 55
Collagen-induced arthritis 225
Concanavalin A 97, 101
Cyclic AMP 269, 279
Cyclooxygenase 365
Cyclooxygenase-1 365
Cyclooxygenase-2 365
Cytochrome P450 2E1 199
Cytokine 101
Cytoprotection 285

DALA [D-Ala^2, Met^5]-enkephalinamide 455
Delayed 253
Delayed-type hypersensitivity 1
Dexamethasone 225
Diabetic GK rat 471
Diastolic function 45
DIDS (4,4′-diisothiocyanatostilbene-2,2′-disulphonic acid) 209
Divalent cation 323
Duodenal ganglion 217

E-4031 (1-[2-(6-methyl-2-pyridyl)ethyl]-4-(4-methylsulfonyl-aminobenzoyl)piperidine) 493
Echocardiography 45
Edema (brain) 31
Edema (paw) 109
Electro-acupuncture 511
Electrocardiogram change 261
Emesis 253
Endomorphin 83
Endomorphin-1 and -2 337
Endothelin 261
[Met^5]-Enkephalin 487
[D-Ala^2, Met^5]-Enkephalinamide 455
Environmental temperature 523
Enzyme selectivity 355
Eosinophil 419
Evoked potential 511
Excitotoxicity 405

Facial scratching 337
Factor Xa inhibitor 191
Fas 233
Fentanyl 523
Ferret 253
Fibrosis 69
FR190997 (8-[2,6-dichloro-3-[*N*-[(*E*)-4-(*N*-methylcarbamoyl)cinnamidoacetyl]-*N*-methylamino]benzyloxy]-2-methyl-4-(2-pyridylmethoxy)quinoline) 109
Free radical 435
Fura-red 323

Gadolinium chloride 101
Garlic 199
Gastric cytoprotection 435
Gastric gland 147
Gastric mucosal cell (canine) 313
Gastric mucus 519
Gastric ulcer 285, 435
Gene expression 45
Glucocorticoid 505
Glucose transporter 63
Gosha-jinki-gan 87
Granisetron 381
Green fluorescent protein 411
GTS-21 (3-(2,4-dimethoxybenzylidene)-anabaseine dihydrochloride) 385, 463

H^+,K^+-ATPase 147
Heart (dog) 493
Heart disorder 261
Heart failure 229
Hepatoprotective agent 199
Heroin antinociception 443
Hippocampus 405
Histamine H_2-antagonist 313
HQL-79 (4-benzhydryloxy-1-{3-(1*H*-tetrazol-5-yl)-propyl}piperidine) 1, 11
5-HT_3 receptor 381
4-Hydroxybenzoic acid 395
Hypersensitivity (delayed type) 1
Hypoglycemic effect 395
Hypoperfusion 463
Hypothermia 493, 501

Immunohistochemistry 63
In vitro assay for angiogenesis 471
Insurmountable antagonism 313
Interleukin 169
Intestine (rat) 293
Intracisternal injection 337
Ischemia 31, 105
Itch 337

JTE-522 (4-(4-cyclohexyl-2-methyl-oxazol-5-yl)-2-fluorobenzenesulfonamide) 365

K^+ channel opener 261
KRN4884 (5-amino-*N*-[2-(2-chrolophenyl)ethyl]-*N*′-cyano-3-pyridinecarboxamidine) 261
KW-8232 (3-[bis(4-hydroxyphenyl)methyl]-2-[4-(2-chlorophenyl)-piperazin-1-ylcarbonyl]-1-(2-dimethylaminoethyl) indole methanesulfonate) 241

Lacrimal gland 373
Late asthmatic response 1
Learning 245
Learning and memory 399
Left ventricular hypertrophy 161
Liver 97, 233
Low Ca diet 279

Low-density lipoprotein receptor 303
Lung 419

Magnolol 501
Memory 245
[Met^5]-enkephalin 487
Methamphetamine 105
L-Methionine *S*-adenosyltransferase 55
Microsphere 31
Mold 79
Monatepil maleate 303
Monoamine 237
Morphine withdrawal 455
MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine) 23
mRNA expression 515
Multiple infarction 463
Muscarinic agonist 373
Muscarinic M_1 receptor 181
Myocardial infarction 229
Myocardial stiffness 161

N-type 39
N-type Ca^{2+} channel 75
Neosurugatoxin 217
Nerve growth factor 245
Neuron 405
Neurotransmission 113
Nicotine 217, 385
Nicotinic agonist 385, 463
Nitric oxide 69, 87, 293
Nitric oxide synthase 293, 519
Nitric oxide synthase inhibitor 345
Nitric oxide-mediated nerve 217
Non-steroidal anti-inflammatory drug (NSAID) 365
Nonadrenergic, noncholinergic (NANC) relaxation 293
Noradrenaline release 75, 269
NTE-122 (*trans*-1,4-bis[[1-cyclohexyl-3-(4-dimethylamino phenyl)ureido]methyl]-cyclohexane) 355

μ- and δ-Opioid 443
μ-Opioid receptor 93
Oral anticoagulant 191
Oxygen radical 429

P1 receptor 113
P2 receptor 113
Pandanus odorus 395
Parkinsonian worm model 23
Parotid gland 279
Pathophysiology 113
Paw edema (mouse) 109
PC 12 cell 269
Peptidase inhibitor 455
Peripheral blood flow 345
PG-9 (3α-tropyl 2-(*p*-bromophenyl)-propionate) 245
Phosphoramidon 487
Planarian 23
Platelet aggregation 87
PPADS (pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid) 209
Pramipexole 23
Preproenkephalin mRNA 455
Prodrug 505
Propranolol 345
Prostaglandin D_2 11
Prostaglandin D synthase 11
Prostaglandin E_2 11
Protection 405
Protein kinase C 411
Pulmonary alveolar macrophage 429
Purinoceptor 209

Q-type 39

Ramosetron 381
Receptor selectivity change 443
Reduced glutathione 285
Renal prostanoid 479
Reserpine 345
Reverse transcription-polymerase chain reaction (RT-PCR) 63
Rhythm 237
Ridogrel 479
Right atrium 181

Saliva 279
Salivary gland 373
Sciatic neurectomy 241
Senescence-accelerated mouse (SAM) 399
Senile dementia 399
Sensitization 105
Sensory nerve 217
Serotonin 2C reeptor 515
Serotonin receptor subtype 511
Single cell 323
Single stranded DNA-binding protein 419
Sjögren's syndrome 373
SNI-2011 ((±)-*cis*-2-methylspiro[1,3-oxathiolane-5,3′-quinuclidine] hydrochloride, hemihydrate) 373
Spontaneously diabetic rat 391
Spontaneously hypertensive rat 161
ssCRE-BP/Purα 419
Stomach (rat) 75, 93
Streptozotocin 443
Streptozotocin-diabetic rat 471
Subacute myelo-optic neuropathy (SMON) 55
Superoxide 69
Suramin 209
Systemic side effect 505

T-593 ((±)-(*E*)-1-[2-hydroxy-2-(4-hydroxyphenyl)ethyl]-3-[2[[[5-(methylamino)-methyl-2-furyl]methyl]thio]ethyl]-2-(methylsulfonyl)guanidine) 313
T-cell-depleted splenocyte 169
Talipexole 23
Tamsulosin 331
Targeting 411
Teprenone 519
Terazosin 331
Theophylline 345
Thromboxane 479
Tranilast 161
Transgenic mouse 233
Translocation 411

Ulcerogen 285
Unanesthetized rat 31

V_{max} 181
Vas deferens (guinea pig) 323
Vasopressin receptor antagonist 229
Ventricular remodeling 45
Verapamil 493
Vitamin B_{12} 55
Voltage-dependent Ca^{2+} channel 39

Warfarin 191

Xenopus oocyte 39

YM-75466 (*N*-[4-[(1-acetimidoyl-4-piperidyl)oxy]phenyl]-*N*-[(7-amidino-2-naphthyl]sulfamoyl acetic acid monomethanesulfonate) 191
YT-146 (2-(1-octynyl) adenosine) 269

Zatebradine 493